

FOR PRESBYOPIA

FITTING GUIDE

STEP 1: Update spectacle refraction and Add power

STEP 2: Select contact lens distance prescription based upon spherical equivalent from spectacle Rx and following Add guidance (adjusted for vertex distance if necessary)

ADD SELECTION:	
SPECTACLE ADD	BOTH EYES
+0.75D to +1.50D	Low Add
+1.75D to +2.50D	High Add

EVALUATE THE LENS FOR SUCCESS

- Allow trial lenses to equilibrate for at least 10 minutes before assessing fit and vision
- Evaluate distance and near vision binocularly in normal room illumination
- If vision at distance and near are satisfactory, dispense lenses and schedule follow-up exam within 1-2 weeks



REFINE IF NEEDED Determine eye dominance at a +1.50 loose handheld trial lens alternately over each eye binocularly through updated distance correction. The eye for which binocular vision is blurriest through the +1.50 is the dominant eye.

EASY, PREDICTABLE FITTING¹: 92% of patients agree that Bausch + Lomb ULTRA® for Presbyopia contact lenses allow them to shift focus naturally from near to far throughout the day²

	NEAR VISION						
		DOMINANT EYE	NON-DOMINANT EYE		DOMINANT EYE	NON-DOMINANT EYE	
IF PATIENT IS WEARING:	TWO LOW ADDS	Initial Lens	Low Add	Low Add	Initial Lens	Low Add	Low Add
		Refinement 1	Low Add	High Add	Refinement 1	Bausch + Lomb ULTRA® sphere	Low Add
		Refinement 2: If vision is still unsatisfactory, make small changes by adding +0.25D at a time to non-dominant eye (wearing High Add lens) using hand-held lenses, and continue evaluating vision binocularly in normal room illumination. Adjust contact lens power when vision is satisfactory.					
TWO HIGH ADDS	Initial Lens	High Add	High Add	Initial Lens	High Add	High Add	
	Refinement 1	High Add	Add +0.25D to the non-dominant eye	Refinement 1	Low Add	High Add	
		Refinement 2: If vision is still unsatisfactory, make small changes by adding -0.25D at a time to dominant eye (wearing Low Add lens) using hand-held lenses, and continue evaluating vision binocularly in normal room illumination. Adjust contact lens power when vision is satisfactory.					

LENS PARAMETERS			
MATERIAL:	samfilcon A	CENTER THICKNESS:	0.07 mm @ -3.00D
LENS MATERIAL	MoistureSeal®	SPHERICAL POWERS:	+6.00D to -10.00D in 0.25D steps (including plano)
WATER CONTENT:	46%	ADD POWERS:	Low: +0.75D to +1.50D High: +1.75D to +2.50D
OXYGEN TRANSMISSION:	163 Dk/t @ center for -3.00D	VISIBILITY TINT:	Light blue
LENS DESIGN TECHNOLOGY:	3-Zone Progressive™ Design, center-near aspheric optics	WEAR SCHEDULE:	Up to 7 days extended wear and daily wear
BASE CURVE:	8.5 mm	REPLACEMENT SCHEDULE:	Monthly
DIAMETER:	14.2 mm		

BAUSCH + LOMB ULTRA® contact lenses are indicated for daily wear or extended wear of up to seven days. As with any contact lens, problems can result in serious injury to the eye, including loss of vision, and clinical studies have shown that the risk of serious adverse reactions is increased when lenses are worn overnight. It is essential that patients follow the eye care practitioner's direction and all labeling instructions for proper use of lenses and lens care products. Consult the package insert for complete information.

REFERENCES: 1. Data on file. Bausch & Lomb Incorporated, Rochester, NY; 2015. 2. Results of an online survey with patients that wore Bausch + Lomb ULTRA® for Presbyopia lenses for approximately 5 days (n=395). Survey questions were top 3-box scores (% Strongly Agree, Agree, Slightly Agree) on a 6-point agreement scale.

®/™ are trademarks of Bausch & Lomb Incorporated or its affiliates.
©2019 Bausch & Lomb Incorporated or its affiliates. UFP0042.USA.19